

## THE PAULI PRINCIPLE AND THE PERIODIC TABLE OF THE ELEMENTS

3d	— — — — —	— — — — —
3p	— — —	— — —
3s	—	—
2p	— — —	↑ — —
2s	↑	↑
1s	↑↓	↑

## THE PAULI PRINCIPLE AND THE PERIODIC TABLE OF THE ELEMENTS by J. H. Hetherington

<b>1. Background</b> .....	1
<b>2. Reading and Discussion</b> .....	1
<b>Acknowledgments</b> .....	2

Title: **The Pauli Principle and the Periodic Table of the Elements**

Author: J. H. Hetherington and F. Zerilli, Mich. State Univ

Version: 2/1/2000

Evaluation: Stage B0

Length: 3 hr; 12 pages

**Input Skills:**

1. Describe atomic energy states using spectroscopic notation (MISN-0-244).

**Output Skills (Knowledge):**

- K1. State the Pauli exclusion principle.
- K2. Define “electron shell” and “electron sub-shell” in terms of the quantum numbers of the energy states that comprise shells or sub-shells.
- K3. Arrange the elements in the periodic table given the order of filling of electron sub-shells.

**Output Skills (Problem Solving):**

- S1. Determine the number of electrons that can occupy a given shell or a given sub-shell.

**External Resources (Required):**

1. Weidner and Sells, *Elementary Modern Physics*, alt. 2nd ed., Allyn and Bacon (1973). For access, see this module’s *Local Guide*.

**Post-Options:**

1. “The Spectrum of Sodium” (MISN-0-314).
2. “The Spectrum of Helium and Calcium” (MISN-0-316).
3. “X-ray Spectra” (MISN-0-317).

THIS IS A DEVELOPMENTAL-STAGE PUBLICATION  
OF PROJECT PHYSNET

The goal of our project is to assist a network of educators and scientists in transferring physics from one person to another. We support manuscript processing and distribution, along with communication and information systems. We also work with employers to identify basic scientific skills as well as physics topics that are needed in science and technology. A number of our publications are aimed at assisting users in acquiring such skills.

Our publications are designed: (i) to be updated quickly in response to field tests and new scientific developments; (ii) to be used in both classroom and professional settings; (iii) to show the prerequisite dependencies existing among the various chunks of physics knowledge and skill, as a guide both to mental organization and to use of the materials; and (iv) to be adapted quickly to specific user needs ranging from single-skill instruction to complete custom textbooks.

New authors, reviewers and field testers are welcome.

PROJECT STAFF

Andrew Schnepf	Webmaster
Eugene Kales	Graphics
Peter Signell	Project Director

ADVISORY COMMITTEE

D. Alan Bromley	Yale University
E. Leonard Jossem	The Ohio State University
A. A. Strassenburg	S. U. N. Y., Stony Brook

Views expressed in a module are those of the module author(s) and are not necessarily those of other project participants.

© 2001, Peter Signell for Project PHYSNET, Physics-Astronomy Bldg., Mich. State Univ., E. Lansing, MI 48824; (517) 355-3784. For our liberal use policies see:

<http://www.physnet.org/home/modules/license.html>.

# THE PAULI PRINCIPLE AND THE PERIODIC TABLE OF THE ELEMENTS

by

**J. H. Hetherington**

## 1. Background

One of the major accomplishments of quantum physics is the explanation of the chemical properties of the elements of the periodic table. This explanation is based on the shells (orbits) of electrons in the atom. These in turn can be described in terms of the quantum numbers of the single electron atom.

It is interesting that one might expect naively that the atom would be more complicated and show less regularities because the electrons around an atom would be expected to form a rather jumbled mess, especially since they repel each other with a Coulomb force. One might expect that the electrons would best be modeled as some kind of soup which adheres to the central positive core.

However, because of the Pauli principle and the “way things work out,” the many-electron atom is dominated by a shell structure. In fact, it is better to approximate the electrons as non-interacting, and to imagine the atom to be built of electrons each occupying some single particle orbit. The energy of this orbit is more directly controlled by the average distribution of the other electrons rather than by detailed collisions between them.

## 2. Reading and Discussion

Read Section 7.9 in WSM<sup>1</sup> at this time because the description which follows is meant only as a rephrasing of that discussion.

One can therefore picture the many-electron atom as shells filled with electrons. Only the outer electrons have much effect on the chemical properties of the element. This is because only the outer electrons actually “contact” other atoms. The Pauli principle, which prevents more than two

---

<sup>1</sup>R. T. Weidner and R. L. Sells, *Elementary Modern Physics* 3rd ed., Allyn and Bacon, Boston (1980). For access, see this module’s *Local Guide*.

electrons from existing in one quantum state, also prevents electrons from two atoms from overlapping significantly. Therefore, chemical properties are determined by the electrons which are at the surface of the atom.

One way of systematizing the structure of the periodic table is to draw an “energy level” diagram for a hypothetical atom. The order of the levels tells the order of the filling of shells. Note that we do not have an actual level diagram for any actual atom and therefore we do not put any actual numerical value on the energies of the levels. However note that the  $n = 3$  and  $n = 4$  levels are ordered very much like the corresponding levels of sodium. Figure 1 shows this hypothetical level diagram.

Now the Pauli principle states that no more than two electrons can reside in a single state. There are  $(2\ell + 1)$  states associated with each level shown in Fig. 1. Therefore in  $s$  levels there are 2 possible electrons, in  $p$  levels 6, in  $d$  levels 10, in  $f$  levels 14.

With respect to the chemical properties it is usually the electrons in the state of highest principle quantum number  $n$  which are important. Therefore we may derive (with a few exceptions) the whole periodic table of elements by referring to Fig. 1.


Some seemingly arbitrary rules must be used: Except for helium the noble gases always occur when a  $p$ -shell is closed. It is not terribly obvious a priori why it is the closure of the  $p$ -shell which leads to the fantastic chemical stability of the noble gases. Also the chemical properties are most connected with the electrons of highest principle quantum number  $n$ . The reason for this rule, however, can be explained on the basis that these electrons extend further from the nucleus than electrons of lower  $n$  (even when the lower  $n$  electrons have higher angular momentum).

## Acknowledgments

Preparation of this module was supported in part by the National Science Foundation, Division of Science Education Development and Research, through Grant #SED 74-20088 to Michigan State University.

## LOCAL GUIDE

The readings for this unit are on reserve for you in the Physics-Astronomy Library, Room 230 in the Physics-Astronomy Building. Ask for them as "The readings for CBI Unit 318." Do **not** ask for them by book title.



**Figure 1.** An energy level diagram for a hypothetical atom.

**PROBLEM SUPPLEMENT**

1. How many electrons could be put into the 5g sub-shell if atoms of sufficiently high  $Z$  existed?
2. How many electrons are in the closed 2p sub-shell?

**Brief Answers:**

1.  $\ell = 4$  for the  $g$  shell, so:  $2 \times (2\ell + 1) = 18$  electrons can be put in that shell.
2.  $2(2\ell + 1) = 6$

**MODEL EXAM**

1. State the Pauli exclusion principle.
2. The order of filling of electron sub-shells is: 1s, 2s, 2p, 3s, 3p, 4s, 3d, 4p, 5s, 4d, 5p, 6s, 4f, 5d, 6p, 7s, 6d, 5f, 7p. How many elements are there in the periodic table between the elements Sr (has a closed 5s sub-shell) and Ba (has a closed 6s sub-shell)?
3. What is the maximum number of electrons that can occupy a 4p sub-shell?

**Brief Answers:**

1. See this module's *text*.
2. 17, not including Sr or Ba.
3. 6

