



CALCULUS OF VARIATIONS

Classical Mechanics

CALCULUS OF VARIATIONS

by
C. P. Frahm

1. Introduction	1
2. Procedures	1
Acknowledgments	2

Title: **Calculus of Variations**

Author: C. P. Frahm, Physics Dept., Illinois State Univ

Version: 2/1/2000

Evaluation: Stage B0

Length: 2 hr; 8 pages

Input Skills:

1. Calculate the area of the surface of revolution of a given curve.
2. Write down expressions for the potential and kinetic energies of an oscillator (MISN-0-495) and a linear pendulum (MISN-0-493).

Output Skills (Knowledge):

- K1. State the basic problem of the calculus of variations and describe in general terms the method of solution.
- K2. Derive Euler's equation for one dependent variable.
- K3. Derive the "second form" of Euler's equation applicable when the integrand is not on explicit function of x (the independent variable).
- K4. Derive Euler's equations for several dependent variables.

Output Skills (Problem Solving):

- S1. Use the variational technique and Euler's equations to solve the brachistochrone problem, to find geodesics on simple surfaces, to find the function which has the minimum surface of revolution, and other such problems.

External Resources (Required):

1. J. Marion, *Classical Dynamics*, Academic Press (1988).

THIS IS A DEVELOPMENTAL-STAGE PUBLICATION
OF PROJECT PHYSNET

The goal of our project is to assist a network of educators and scientists in transferring physics from one person to another. We support manuscript processing and distribution, along with communication and information systems. We also work with employers to identify basic scientific skills as well as physics topics that are needed in science and technology. A number of our publications are aimed at assisting users in acquiring such skills.

Our publications are designed: (i) to be updated quickly in response to field tests and new scientific developments; (ii) to be used in both classroom and professional settings; (iii) to show the prerequisite dependencies existing among the various chunks of physics knowledge and skill, as a guide both to mental organization and to use of the materials; and (iv) to be adapted quickly to specific user needs ranging from single-skill instruction to complete custom textbooks.

New authors, reviewers and field testers are welcome.

PROJECT STAFF

Andrew Schnepf	Webmaster
Eugene Kales	Graphics
Peter Signell	Project Director

ADVISORY COMMITTEE

D. Alan Bromley	Yale University
E. Leonard Jossem	The Ohio State University
A. A. Strassenburg	S. U. N. Y., Stony Brook

Views expressed in a module are those of the module author(s) and are not necessarily those of other project participants.

© 2001, Peter Signell for Project PHYSNET, Physics-Astronomy Bldg., Mich. State Univ., E. Lansing, MI 48824; (517) 355-3784. For our liberal use policies see:

<http://www.physnet.org/home/modules/license.html>.

CALCULUS OF VARIATIONS

by
C. P. Frahm

1. Introduction

One of the most intriguing properties of nature is its apparent fondness for variational principles. Almost every class of physical phenomena from classical mechanics to general relativity can be formulated in terms of a variational principle. In classical mechanics the variational principle is known as Hamilton's Principle while in geometrical optics, it is known as Fermat's Principle. As well as providing a useful tool for the solution of certain kinds of problems, these variational principles provide an elegant new point-of-view from which one can gain new insights into the behavior of physical systems. This unit will cover the mathematical methods of variational calculus while subsequent units will treat Hamilton's principle and its application to mechanics.

2. Procedures

1. Read Sections 6.1 and 6.2 in Marion. Omit Example 6.1. The two examples given in the section 6.2 are a little misleading since they yield extrema only for a special class of trial functions. In general, one wishes to find extrema for arbitrary trial functions and, in fact, one usually does not specify the form of the trial functions.
2. Read section 6-3 in Marion and fill in any missing details. This is the fundamental variational technique and should be studied carefully.
3. Read sections 6.4 and 6.5 in Marion.
Optional: Read Chapter 17 of Arfken. A number of worked-out examples are given in this reference.

4. Read Example 5.2 in Marion. In the brachistochrone problem, it is assumed that the particle slides on a frictionless surface under the influence of gravity. The problem is to find the shape of the surface that minimizes the travel time.

Read example 6.4 on geodesics in Marion.

▷ Work problems 6-3, 6-4 in Marion.

▷ Work problem 6-5 in Marion, using eq. 6.18.

Acknowledgments

The author would like to thank Illinois State University for support in the construction of this lesson. Preparation of this module was supported in part by the National Science Foundation, Division of Science Education Development and Research, through Grant #SED 74-20088 to Michigan State University.

